


JavaUtility 的使用說明

井民全

安裝 JAI



讓 JBuilder 找得到 JAI

The image shows a screenshot of the JBuilder IDE interface. The 'Tools' menu is open, and 'Configure Libraries...' is selected. A red arrow points from this menu item to the 'Configure Libraries' dialog box. The dialog box is titled 'Configure Libraries' and has a 'Project' list on the left. The 'New Library Wizard' dialog box is open, showing the 'Define the new library' step. The 'Name' field is filled with 'JAI' and the 'Location' is set to 'User Home'. A red box with the text '2. 填入 JAI' is overlaid on the 'Name' field. The 'Add...' button is highlighted with a red box and the text '3. Add'. The 'Select One or More Directories' dialog box is also open, showing the 'Directory' field set to 'JAI' and a list of directories including 'C:\JAI'. A red box with the text '4. 選 C:\JAI 目錄' is overlaid on the 'C:\JAI' directory in the list. A red box with the text '1. New' is overlaid on the 'New...' button in the 'Configure Libraries' dialog box.

Tools Window Help

- IDE Options...
- Editor Options...
- Configure Libraries...
- Configure JDKs...
- Configure Servers...
- Configure File A...

Configure Libraries

Project

- User Home
- JBuilder
 - Ant
 - Apache
 - Axis
 - Borland
 - Borland
 - Cactus
 - Cactus
 - Castor
 - Cocoon
 - CORBA
 - Data Exchange
 - Data Exchange
 - dbSwirl
 - HttpUnit
 - Internet

Library Settings

New Library Wizard

Define the new library

Select a name and location for the new library, and add one or more paths to the library. JBuilder will automatically add the library to the project's classpath. JBuilder will automatically add the library to the project's classpath.

Name: JAI

Location: User Home

Library paths:

Add...

1. New

2. 填入 JAI

3. Add


Select One or More Directories

Directory: JAI

4. 選 C:\JAI 目錄

- Home
- Project
- A:\
- C:\
 - Cats
 - Documents and Settings
 - Homework3
 - HuiLung
 - JAI
 - ire

設定完成應該長這樣




設定你專案需要的 library JAI

不一定每個專案都需要 JAI

The image shows a sequence of four steps in JBuilder 9 to configure project libraries:

- Step 1:** In the Project menu, select **Project Properties...**
- Step 2:** In the Project Properties dialog, select the **Required Libraries** tab.
- Step 3:** Click the **Add...** button to open the library selection dialog.
- Step 4:** In the **Select One or More Libraries** dialog, select **JAI** and **JBCL** from the list.

設定完成應該長這樣




安裝 JavaUtility 細節



解開 JavaUtility.zip 檔案




把他放到 c:\JavaUtility 目錄中




設定 JBuilder



選擇 JavaUilty 各個 package 的路徑



設定完成應該長這樣



貼上程式碼, 重新編譯即可

